

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Fig. 1

200




Fig. 2

300




Fig. 3

400




Fig. 4

500




Fig. 5

600




Fig. 6

700




Fig. 7

800




Fig. 8

900

Flow Label	Source Address	Neighbor Address	Max. BW	Min. BW	HR	SR	Timer	Indicator

Flow ID

Path History

Required QoS

Monitored QoS

Fig. 9

1000




Fig. 10

1100




Fig. 11

1200




Fig. 12

1300




Fig. 13

1400




Fig. 14

1500




Fig. 15

1600



Fig. 16

1700




Fig. 17

1800



Fig. 18

1900



Fig. 19

2000




Fig. 20

2100




Fig. 21

2200




Fig. 22

2300




Fig. 23

2400




Fig. 24

2500




Fig. 25

2600




Fig. 26

2700




Fig. 27

2800




Fig. 28

2300




Fig. 29

3000




Fig. 30

3100




Fig. 31

3200




Fig. 32

3300




Fig. 33

3400






Fig. 34

3500



→ Routing path Fig. 35

3600



→ Routing path
← Reverse traffic passing S

Fig. 36

3700

		Option Type	Option Len
Flags	Lifetime		
MAC address (48 bits)			
IPv6 Address (128 bits)			

Fig. 37